

AXOR Starck Organic
Single lever bath mixer for concealed installation
 Surfaces: **Chrome** Article Number: **12415000**




product features

- 2 functions
- connection type: basic set
- flow rate upper outlet: 20 l/min
- flow rate lower outlet: 29 l/min
- maximum flow rate at 3 bar: 29 l/min
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar
- ceramic cartridge
- temperature limitation adjustable
- diverter with automatic resetting
- with silencer
- suitable for continuous flow water heaters

Product image




Scale drawing



AXOR Starck Organic
Single lever bath mixer for concealed installation
 Surfaces: **Chrome** Article Number: **12415000**



Flowchart




AXOR Starck Organic
Single lever bath mixer for concealed installation
 Surfaces: **Chrome** Article Number: **12415000**



Exploded Drawing

Year of production: >01/17



AXOR Starck Organic
Single lever bath mixer for concealed installation
 Surfaces: **Chrome** Article Number: **12415000**



Spare part list

Year of production: >01/17

Pos.		Article Number	Price	PU
1	handle	98311000	-	1
2	diverter knob cpl.	98310000	-	1
3	hollow set screw M4x10	97667000	-	1
4	escutcheon	98309000	-	1
5	O-Ring 48x3	95508000	-	1
6	O-ring 29x3	98371000	-	1
7	flange	98684000	-	1
8	O-ring 43x1,5	98148000	-	1
9	sleeve	98308000	-	1
10	holder for escutcheon	98793000	-	1
11	set of fixing screws	96454000	-	1
12	nut	98796000	-	1
13	O-ring 30x1,5	98433000	-	1
14	O-ring 39x1,5	98400000	-	1
15	cartridge, assy	92730000	-	1
16	locking screw for handle	95140000	-	1
17	seal	95008000	-	1
18	selector assy	95014000	-	1
19	O-ring 17x2	98199000	-	1
20	O-ring 20x2,5	92602000	-	1
21	set of screws	96525000	-	1
22	O-ring 16x2	98133000	-	1
23	noise reduction	94073000	-	1
24	extension 25 mm	13595000	-	1
25	set of fixing screws	97747000	-	1
26	extension 22 mm	97407000	-	1
27	escutcheon height = 33 mm (when wall is not deep enough).	14968000	-	1
a	concealed item	01800180	-	1
b	adapter for exchanged connections	93181000	-	1
c	fixation set	96615000	-	1